

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/797,712	03/09/2004	Pietro Scarafile	D-1219 R4	4267	
28995 75	90 06/07/2005		EXAM	INER	
RALPH E. JOCKE walker & jocke LPA			HESS, DANIEL A		
231 SOUTH BROADWAY			ART UNIT	PAPER NUMBER	
MEDINA, OH 44256			2876		
			DATE MAILED: 06/07/2009	DATE MAILED: 06/07/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

_		· & X				
	Application No.	Applicant(s)				
Office Action Summary	10/797,712	SCARAFILE ET AL.				
Office Action Summary	Examiner	Art Unit				
The MAIL INC DATE of the control of the	Daniel A. Hess	2876				
The MAILING DATE of this communication Period for Reply		·				
A SHORTENED STATUTORY PERIOD FOR F THE MAILING DATE OF THIS COMMUNICAT - Extensions of time may be available under the provisions of 37 C after SIX (6) MONTHS from the mailing date of this communicati - If the period for reply specified above is less than thirty (30) days - If NO period for reply is specified above, the maximum statutory - Failure to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	ION. FR 1.136(a). In no event, however, may a roon. , a reply within the statutory minimum of thir period will apply and will expire SIX (6) MON statute, cause the application to become AB	reply be timely filed ty (30) days will be considered timely. ITHS from the majling date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on	<u>09 March 2004</u> .	•				
2a) ☐ This action is FINAL . 2b) ☑	This action is non-final.					
3) ☐ Since this application is in condition for al	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice un	der <i>Ex part</i> e Quayle, 1935 C.D). 11, 453 O.G. 213.				
Disposition of Claims						
4) Claim(s) 1-27 is/are pending in the applic	Claim(s) <u>1-27</u> is/are pending in the application.					
4a) Of the above claim(s) is/are wit	hdrawn from consideration.					
<u> </u>						
6) Claim(s) <u>1-8,12,14,24,26 and 27</u> is/are re						
7) Claim(s) <u>9-11,13,15-23 and 25</u> is/are object to restriction a						
	and/or election requirement.					
Application Papers						
9) The specification is objected to by the Exa						
10) The drawing(s) filed on is/are: a)						
Applicant may not request that any objection t		. ,				
Replacement drawing sheet(s) including the c		· ·				
	Le Learniner. Note the attachet	office Action of John F 10-132.				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for fo a) All b) Some * c) None of: 1. Certified copies of the priority documents 	,	119(a)-(d) or (f).				
2. Certified copies of the priority docu		polication No				
3.☐ Copies of the certified copies of the						
application from the International B						
* See the attached detailed Office action for	a list of the certified copies not	received.				
Attachment(s)						
1) Notice of References Cited (PTO-892)		ummary (PTO-413)				
 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-94-8) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/S 		s)/Mail Date nformal Patent Application (PTO-152)				
Paper No(s)/Mail Date	6) Other:					

Art Unit: 2876

DETAILED ACTION

This action is in response to 3/9/2004 initial filing by applicant.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4 Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Application/Control Number: 10/797,712 Page 3

Art Unit: 2876

Claims 1-8, 12, 14, 26 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Isozaki et al. (US 4,919,058) in view of Gardner (US 5,929,413).

Re claim 1: Isozaki et al. teaches a system whereby (see figure 1) an internal mechanism of an ATM machine can be moved away from the opening for servicing, such that a gate closes at the fascia opening upon removal of the card. It is clear (see figure 4) that the internal mechanism 58 includes a card reader, because ref. 60, which leads into it, is a card slot.

Isozaki recites (column 2, lines 25-45):

"resilient means for urging said door to a closed position in which it covers said aperture; operating means for moving said door from closed position to open position against the influence of said resilient means; support means fixed to said housing; lever means pivotally mounted on said support means and having one end coupled to said operating means; follower means mounted on the other end of said lever means; and engaging means fixed to said mechanism and engageable with said follower means as said mechanism is moved in a first direction to a position in which said projecting portion projects through said aperture, whereby movement of said mechanism in said first direction causes said engaging means to move said lever means to cause said operating means to move said door to open position, and whereby when said mechanism is moved in a second opposite direction so that said projecting portion is withdrawn from said aperture, said engaging means is moved out of engagement with said follower means to permit said resilient means to move said door into closed position."

Here, clearly Isozaki teaches a system wherein a gate closes when an internal mechanism is moved away for servicing.

Isozaki does not, as far as this examiner is aware, discuss capture bins.

Gardner teaches (see figure 3) an ATM internal configuration where card capture bin 80 abuts the card reader 60. That the bin such a bin would have a door (closing member) is clear, because otherwise there would be no way to access the contents thereof. In particular, without a door, the bin would fill and then render the ATM inoperable. Further, if a card is improperly captured, it would be accessed to be returned to the user.

In view of Gardner's teaching, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include the old and well-known card capture bin as taught by Gardner in the teachings of Isozaki because thus cards which are judged to be fraudulent or cards which have been cancelled by the accountholder can be cancelled. It is noted that this is a feature generally common to most modern ATMs.

Isokaki/Gardner also fail to teach a card holding bin that is integrally constructed with the reader, as claim 1 appears to suggest.

However, the examiner takes the position that making the holding bin integral would have been a matter of obvious design choice. Some motives to make the holding bin integral

Art Unit: 2876

include that this could result in a simpler design and also that one servicing the reader would not have to reattached a reader to a card holding bin after servicing if it is integral with the bin.

The following is an MPEP excerpt which addresses making components integral with one another. Regarding comparisons with Larson, it is noted that in Garder the reader and the storage bin are rigidly secured together as part of a single system.

<u>2144.04</u>

B. Making Integral

In re Larson, 340 F.2d 965, 968, 144 USPQ 347, 349 (CCPA 1965) (A claim to a fluid transporting vehicle was rejected as obvious over a prior art reference which differed from the prior art in claiming a brake drum integral with a clamping means, whereas the brake disc and clamp of the prior art comprise several parts rigidly secured together as a single unit. The court affirmed the rejection holding, among other reasons, "that the use of a one piece construction instead of the structure disclosed in [the prior art] would be merely a matter of obvious engineering choice."); but see Schenck v. Nortron Corp., 713 F.2d 782, 218 USPQ 698 (Fed. Cir. 1983) (Claims were directed to a vibratory testing machine (a hard-bearing wheel balancer) comprising a holding structure, a base structure, and a supporting means which form "a single integral and gaplessly continuous piece." Nortron argued that the invention is just making integral what had been made in four bolted pieces. The court found this argument unpersuasive and held that the claims were patentable because the prior art perceived a need for mechanisms to dampen resonance, whereas the inventor eliminated the need for dampening via the onepiece gapless support structure, showing insight that was contrary to the understandings

Art Unit: 2876

and expectations of the art.).

Re claim 2: In Isozaki (column 3, lines 55-60) it is clear that the shutter has a downward motion.

Re claims 3 and 4: Having a lock on a bin which stores ATM cards is typical in the art. In ATMs, the need to lock components which store financially valuable items is well-known. In fact, in locking a compartment which stores valuables is old and well-known, for theft prevention.

Re claims 5 and 6: The method described is the standard approach in the art for capturing a card. A card is read, and if it is determined to be invalid or cancelled, it is sent to a bin such as the bin 80 of Gardner figure 3. A controller lies at the heart of every ATM, controlling the various actions.

Re claims 7 and 8: See figure 3 of Gardner: The card 99 is moved away from the reader 61 and the card is in operative engagement with moving members, including the many rollers shown in figure 3 of Gardner.

Re claim 12: As the excerpt of Isozaki et al. (see discussion re claim 1) shows, the gate moves back to its retracted position, after having moved downward to block the fascia opening, when the internal mechanism (which includes the reader) is inserted into the opening.

Art Unit: 2876

Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Isozaki/Gardner as applied to claim 1 above, in view of Beck et al. (US 4,612,864).

Isozaki fails to teach the use of a cam surface in producing the movement of Isozaki's gate.

Beck et al. teaches a gate for the fascia of an ATM during servicing which uses a cam surface to effect movement (column 4, lines 30-50):

"Locking pawl 31 is shown in detail in FIGS. 13 and 14. Pawl 31 includes an arm 111, an upwardly extending tab 113 for blocking the movement of arm 98 of Geneva claw 29 when door 23 is closed, a downwardly extending tab 115, a generally curved surface 117, a rearward cam surface 118, a forward cam surface 119, a hole 120 and a hole 121 through tab 115. A post 123 extends through hole 120, through a spacer 124, a bushing 125 and a similar aligned hole in platform 87 to pivotally mount locking pawl 31 on the platform. (See FIG. 4). The ends of post 123 are threaded, and a threaded cap 126 retains pawl 31 on post 123, and a nut 127 holds post 123 in platform 87. A tab 128 extends upwardly on platform 87, and is provided with a hole; a wire coil spring 129 extends at one of its ends through the hole in tab 128 and at its other end through hole 121 in tab 115, for biasing pawl 31 in the clockwise direction as shown in FIG. 3 to place the pawl in its blocking position as discussed below."

Art Unit: 2876

In view of Beck et al.'s teaching, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include the old and well-known cam surface to move the gate because such a mechanical arrangement is both sturdy and durable.

Re claims 26 and 27: To have a reader move along a slide is old and well-known, where the reader must be removed for access and servicing.

The floppy drive of a computer, for example moves into a drive bay by essentially by sliding in. The portion of the computer chassis that receives the drive is essentially a slide. A floppy disk drive is essentially a type of reader.

In view of the well-known arrangement of a floppy drive in a computer chassis, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include the old and well-known sliding arrangement for the card reader in the housing of the instant invention.

Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Isozaki/Gardner as applied to claim 1 above, in view of Mair et al. (US 6,367,695).

Isozaki/Gardner fails to teach a sensing device for detecting objects placed in front of the card slot.

Mair et al. teaches this in the abstract and throughout, including claim 1.

In view of Mair et al.'s teaching, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include the old and well-known detector for detecting objects in front of the ATM face because this can deter would-be card data thieves.

Claims 9-11, 13, 15-23, 25 are objected to as being dependent upon a rejected base claim,

but would be allowable if rewritten in independent form including all of the limitations of the

base claim and any intervening claims.

Re claim 9: In particular, the prior art fails to teach or fairly suggest, in the context of the

various other limitations, a card capture system that includes a resilient member which is

operative to throw the card in the bin away from the card reader.

Re claim 16: The prior art of record fails to teach or fairly suggest that in the context of

all of the other limitations upon which the claim depends in addition to the reader being

moveably disengagable from the fascia, the fascia is itself moveably mounted relative to the

remainder of the housing.

Some ATMs may have a removable cover for enabling servicing, but in this case, the

internal components of the ATM would be accessed through the front and then would not need to

be accessed through the rear, and thus the card reader system would not need to move backward.

In Isozaki et al. (see figure 4) the card reader system (including the card opening 40)

move backward away from the fascia of the ATM; thus there would be no apparent purpose for

the fascia of that ATM to move.

Art Unit: 2876

The applicant has demonstrated with respect to this particular limitation a usefulness in terms of hindering the placement of foreign objects in front of the card slot, because the alignment of the card slot changes. Such an advantage was not suggested in the prior art of record.

Others of the above claims depend from one or both of claims 9 and 16.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel A. Hess whose telephone number is (571) 272-2392. The examiner can normally be reached on 8:00 AM - 5:00 PM M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael G. Lee can be reached on (571) 272-2398. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact/the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KH 5/24/05

DANIEL STOYH